

Resource Summary Report

Generated by [RRID](#) on Sep 6, 2026

293AAV

RRID:CVCL_KA64

Type: Cell Line

Proper Citation

RRID:CVCL_KA64

Cell Line Information

URL: https://web.expasy.org/cellosaurus/CVCL_KA64

Proper Citation: RRID:CVCL_KA64

Description: Cell line 293AAV is a Transformed cell line with a species of origin Homo sapiens (Human)

Sex: Female

Comments: Caution: Not the same cell line as AAV-293 from Stratagene (Cellosaurus=CVCL_6871)., Characteristics: Compared to parent HEK293 cell line has improved adeno-associated virus production capabilities.

Category: Transformed cell line

Organism: Homo sapiens (Human)

Name: 293AAV

Cross References: Cell_Biolabs:AAV-100, Wikidata:Q54584111

ID: CVCL_KA64

Hierarchy: cvcl_0045

Record Creation Time: 20220427T215044+0000

Record Last Update: 20260905T184301+0000

Ratings and Alerts

No rating or validation information has been found for 293AAV.

No alerts have been found for 293AAV.

Data and Source Information

Source: [CelloSaurus](#)

Usage and Citation Metrics

We found 14 mentions in open access literature.

Listed below are recent publications. The full list is available at [RRID](#) .

Funahashi Y, et al. (2024) Signal flow in the NMDA receptor-dependent phosphoproteome regulates postsynaptic plasticity for aversive learning. *Science signaling*, 17(853), eado9852.

Huang Y, et al. (2024) Schwann cell promotes macrophage recruitment through IL-17B/IL-17RB pathway in injured peripheral nerves. *Cell reports*, 43(2), 113753.

Takegawa W, et al. (2024) Kainate receptors regulate synaptic integrity and plasticity by forming a complex with synaptic organizers in the cerebellum. *Cell reports*, 43(7), 114427.

Ahmed MR, et al. (2024) Arrestin-3-assisted activation of JNK3 mediates dopaminergic behavioral sensitization. *Cell reports. Medicine*, 5(7), 101623.

Wang T, et al. (2024) Single-nucleus transcriptomics identifies separate classes of UCP1 and futile cycle adipocytes. *Cell metabolism*, 36(9), 2130.

Park J, et al. (2023) Chemogenetic regulation of the TARP-lipid interaction mimics LTP and reversibly modifies behavior. *Cell reports*, 42(8), 112826.

Tsuboi D, et al. (2022) Dopamine drives neuronal excitability via KCNQ channel phosphorylation for reward behavior. *Cell reports*, 40(10), 111309.

Faruk MO, et al. (2022) Muscarinic signaling regulates voltage-gated potassium channel KCNQ2 phosphorylation in the nucleus accumbens via protein kinase C for aversive learning. *Journal of neurochemistry*, 160(3), 325.

Yamashita Y, et al. (2022) Phosphoproteomic of the acetylcholine pathway enables discovery of the PKC- γ -PIX-Rac1-PAK cascade as a stimulatory signal for aversive learning. *Molecular psychiatry*, 27(8), 3479.

Öztürk BE, et al. (2021) scAAVengr, a transcriptome-based pipeline for quantitative ranking of engineered AAVs with single-cell resolution. *eLife*, 10.

Morikawa S, et al. (2021) Brain-wide mapping of presynaptic inputs to basolateral amygdala neurons. *The Journal of comparative neurology*, 529(11), 3062.

Inagaki S, et al. (2020) Widespread Inhibition, Antagonism, and Synergy in Mouse Olfactory Sensory Neurons In Vivo. *Cell reports*, 31(13), 107814.

Funahashi Y, et al. (2019) Phosphorylation of Npas4 by MAPK Regulates Reward-Related Gene Expression and Behaviors. *Cell reports*, 29(10), 3235.

Chen SH, et al. (2019) Production of Viral Constructs for Neuroanatomy, Calcium Imaging, and Optogenetics. *Current protocols in neuroscience*, 87(1), e66.