

Resource Summary Report

Generated by [RRID](#) on Sep 1, 2026

THP1-Dual

RRID:CVCL_X599

Type: Cell Line

Proper Citation

RRID:CVCL_X599

Cell Line Information

URL: https://web.expasy.org/cellosaurus/CVCL_X599

Proper Citation: RRID:CVCL_X599

Description: Cell line THP1-Dual is a Cancer cell line with a species of origin Homo sapiens (Human)

Sex: Male

Disease: Childhood acute monocytic leukemia

Comments: Characteristics: Stably expresses two reporter genes: SEAP (secreted ALPP) and the Lucia luciferase. In this cell line SEAP is under the control of an IFN-beta minimal promoter fused to 5 NF-kappaB binding sites and 3 C-Rel binding sites. The Lucia luciferase reporter gene is under the control of an ISG54 minimal promoter in conjunction with 5 IFN-stimulated response elements (ISRE) (InvivoGen=thpd-nfis)., Population: Japanese.

Category: Cancer cell line

Organism: Homo sapiens (Human)

Name: THP1-Dual

Cross References: cancercellines:CVCL_X599, InvivoGen:thpd-nfis, Wikidata:Q54972368

ID: CVCL_X599

Hierarchy: cvcl_0006

Record Creation Time: 20220427T221625+0000

Record Last Update: 20260830T000108+0000

Ratings and Alerts

No rating or validation information has been found for THP1-Dual.

No alerts have been found for THP1-Dual.

Data and Source Information

Source: [Cellosaurus](#)

Usage and Citation Metrics

We found 12 mentions in open access literature.

Listed below are recent publications. The full list is available at [RRID](#) .

Zhou W, et al. (2026) Nano-Enabled Systemic Delivery of STING Agonist by Engineered Silicasome for Potent Antitumor Immunotherapy. *Advanced science* (Weinheim, Baden-Wurttemberg, Germany), 13(34), e23722.

Gruber DR, et al. (2026) Targeted Delivery of a Potent STING Agonist Payload via an Antibody-Drug Conjugate Drives Robust Antitumor Activity in Preclinical Models. *Molecular cancer therapeutics*, 25(3), 457.

Pawa R, et al. (2026) The genomic sequence of packaged viral ribonucleic acid predicts mucosal HIV-1 transmission fitness. *iScience*, 29(8), 116712.

Lea ST, et al. (2025) NLRP3 Inflammasome Activation Expands the Immunosuppressive Myeloid Stroma and Antagonizes the Therapeutic Benefit of STING Activation in Glioblastoma. *Cancer research communications*, 5(6), 960.

Saidoune F, et al. (2025) Enhanced TLR7-dependent production of type I interferon by pDCs underlies pandemic chilblains. *The Journal of experimental medicine*, 222(7).

Yu Y, et al. (2024) Combining VPS34 inhibitors with STING agonists enhances type I interferon signaling and anti-tumor efficacy. *Molecular oncology*, 18(8), 1904.

Prabagar MG, et al. (2024) THE STING AGONIST VB-85247 INDUCES DURABLE ANTITUMOR IMMUNE RESPONSES BY INTRAVESICAL ADMINISTRATION IN A NON-MUSCLE INVASIVE BLADDER CANCER. *Cancer research*.

Hernandez-Franco JF, et al. (2024) Intradermal vaccination with a phytoglycogen nanoparticle and STING agonist induces cytotoxic T lymphocyte-mediated antitumor immunity. *NPJ vaccines*, 9(1), 149.

Ben-Crentsil NA, et al. (2024) RNA Shielding of p65 Is Required to Potentiate Oncogenic Inflammation in TET2-Mutated Clonal Hematopoiesis. *Cancer discovery*, 14(12), 2509.

Chang F, et al. (2024) Development of nitroalkene-based inhibitors to target STING-dependent inflammation. *Redox biology*, 74, 103202.

Nurmi K, et al. (2024) Truncating NFKB1 variants cause combined NLRP3 inflammasome activation and type I interferon signaling and predispose to necrotizing fasciitis. *Cell reports. Medicine*, 5(4), 101503.

Metz PJ, et al. (2020) Symmetric Arginine Dimethylation Is Selectively Required for mRNA Splicing and the Initiation of Type I and Type III Interferon Signaling. *Cell reports*, 30(6), 1935.