

Resource Summary Report

Generated by [RRID](#) on Aug 10, 2026

HMGA1 antibody

RRID:AB_10724905

Type: Antibody

Proper Citation

GeneTex Cat# GTX89486, RRID:AB_10724905

Antibody Information

URL: http://antibodyregistry.org/AB_10724905

Proper Citation: GeneTex Cat# GTX89486, RRID:AB_10724905

Target Antigen: HMGA1 antibody

Host Organism: goat

Clonality: polyclonal

Comments: Discontinued; manufacturer recommendations: Preliminary experiments gave an approx 50kDa band in Human Testis and Ovary lysates after 0.3µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 11.7kDa according to isoform a (also called HMG-I; NP_665906.1; NP_665908.1; NP_665911.1) and 10.7kDa according to isoform b (also called HMG-Y; NP_002122.1; NP_665909.1; NP_665910.1; NP_665912.1). The 50kDa band was successfully blocked by incubation with the immunizing peptide. We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported? In paraffin embedded Human Placenta shows strong nuclear staining.
Recommended

Antibody Name: HMGA1 antibody

Description: This polyclonal targets HMGA1 antibody

Target Organism: rat, porcine, canine, cow, pig, mouse, bovine, dog, human

Antibody ID: AB_10724905

Vendor: GeneTex

Catalog Number: GTX89486

Record Creation Time: 20250820T000131+0000

Record Last Update: 20250820T070841+0000

Ratings and Alerts

No rating or validation information has been found for HMGA1 antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: Preliminary experiments gave an approx 50kDa band in Human Testis and Ovary lysates after 0.3µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 11.7kDa according to isoform a (also called HMG-I; NP_665906.1; NP_665908.1; NP_665911.1) and 10.7kDa according to isoform b(also called HMG-Y; NP_002122.1; NP_665909.1; NP_665910.1; NP_665912.1). The 50kDa band was successfully blocked by incubation with the immunizing peptide. We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported? In paraffin embedded Human Placenta shows strong nuclear staining. Recommended

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.