

Resource Summary Report

Generated by [RRID](#) on Aug 4, 2026

Donkey anti-Goat IgG (H+L) Cross-Adsorbed Secondary Antibody, DyLight™ 488

RRID:AB_2556666

Type: Antibody

Proper Citation

Thermo Fisher Scientific Cat# SA5-10086, RRID:AB_2556666

Antibody Information

URL: http://antibodyregistry.org/AB_2556666

Proper Citation: Thermo Fisher Scientific Cat# SA5-10086, RRID:AB_2556666

Target Antigen: Goat IgG (H+L)

Host Organism: donkey

Clonality: polyclonal secondary

Comments: Applications: Flow, ICC/IF, IHC, IP, WB

Antibody Name: Donkey anti-Goat IgG (H+L) Cross-Adsorbed Secondary Antibody, DyLight™ 488

Description: This polyclonal secondary targets Goat IgG (H+L)

Target Organism: goat

Antibody ID: AB_2556666

Vendor: Thermo Fisher Scientific

Catalog Number: SA5-10086

Record Creation Time: 20250820T043147+0000

Record Last Update: 20250820T191308+0000

Ratings and Alerts

No rating or validation information has been found for Donkey anti-Goat IgG (H+L) Cross-Adsorbed Secondary Antibody, DyLight™ 488.

No alerts have been found for Donkey anti-Goat IgG (H+L) Cross-Adsorbed Secondary Antibody, DyLight™ 488.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 6 mentions in open access literature.

Listed below are recent publications. The full list is available at [RRID](#) .

Gong L, et al. (2025) Rapid generation of functional vascular organoids via simultaneous transcription factor activation of endothelial and mural lineages. *Cell stem cell*, 32(8), 1200.

Wang X, et al. (2023) Prolonged hypernutrition impairs TREM2-dependent efferocytosis to license chronic liver inflammation and NASH development. *Immunity*, 56(1), 58.

Jia X, et al. (2023) High-intensity swimming alleviates nociception and neuroinflammation in a mouse model of chronic post-ischemia pain by activating the resolvins E1-chemerin receptor 23 axis in the spinal cord. *Neural regeneration research*, 18(11), 2535.

Al-Shehri M, et al. (2021) Generation of induced pluripotent stem cell Line KAIMRCi001-A by reprogramming erythroid progenitors from peripheral blood of a healthy Saudi donor. *Stem cell research*, 56, 102548.

Benitez SG, et al. (2020) Cutaneous inflammation differentially regulates the expression and function of Angiotensin-II types 1 and 2 receptors in rat primary sensory neurons. *Journal of neurochemistry*, 152(6), 675.

Jones JR, et al. (2018) SCN VIP Neurons Are Essential for Normal Light-Mediated Resetting of the Circadian System. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 38(37), 7986.