

Resource Summary Report

Generated by [RRID](#) on Jul 29, 2026

Donkey anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, DyLight™ 488

RRID:AB_2556746

Type: Antibody

Proper Citation

(Thermo Fisher Scientific Cat# SA5-10166, RRID:AB_2556746)

Antibody Information

URL: http://antibodyregistry.org/AB_2556746

Proper Citation: (Thermo Fisher Scientific Cat# SA5-10166, RRID:AB_2556746)

Target Antigen: Mouse IgG (H+L)

Host Organism: donkey

Clonality: polyclonal secondary

Comments: Applications: Flow, ICC/IF, IHC-P, IP, WB

Antibody Name: Donkey anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, DyLight™ 488

Description: This polyclonal secondary targets Mouse IgG (H+L)

Target Organism: mouse

Antibody ID: AB_2556746

Vendor: Thermo Fisher Scientific

Catalog Number: SA5-10166

Record Creation Time: 20251213T073216+0000

Record Last Update: 20260225T230358+0000

Ratings and Alerts

No rating or validation information has been found for Donkey anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, DyLight™ 488.

No alerts have been found for Donkey anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, DyLight™ 488.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 6 mentions in open access literature.

Listed below are recent publications. The full list is available at [RRID](#) .

Saha I, et al. (2023) The AAA+ chaperone VCP disaggregates Tau fibrils and generates aggregate seeds in a cellular system. Nature communications, 14(1), 560.

Li H, et al. (2023) Derivation of induced pluripotent stem cell SJTUi003-A from a 69-year-old Chinese Han Sporadic Alzheimer's disease patient with APOE ϵ 3/ ϵ 4 genetic background. Stem cell research, 71, 103142.

Keeley PW, et al. (2023) Nfia Is Critical for All Amacrine Cell Production: Selective Bipolar Cell Dependencies and Diminished ERG. The Journal of neuroscience : the official journal of the Society for Neuroscience, 43(49), 8367.

Saunders HAJ, et al. (2022) Acetylated γ -tubulin K394 regulates microtubule stability to shape the growth of axon terminals. Current biology : CB, 32(3), 614.

Ferraiolo M, et al. (2021) β -arrestin2 recruitment at the β 2 adrenergic receptor: A luciferase complementation assay adapted for undergraduate training in pharmacology. Pharmacology research & perspectives, 9(1), e00706.

Keeley PW, et al. (2018) DNER and NFIA are expressed by developing and mature All amacrine cells in the mouse retina. The Journal of comparative neurology, 526(3), 467.