

Resource Summary Report

Generated by [RRID](#) on Jul 31, 2026

Brilliant Violet 421™ anti-mouse TCR ? chain

RRID:AB_2562562

Type: Antibody

Proper Citation

BioLegend Cat# 109230, RRID:AB_2562562

Antibody Information

URL: http://antibodyregistry.org/AB_2562562

Proper Citation: BioLegend Cat# 109230, RRID:AB_2562562

Target Antigen: TCR beta chain

Host Organism: armenian hamster

Clonality: monoclonal

Comments: Applications: FC, IHC-F

Antibody Name: Brilliant Violet 421™ anti-mouse TCR ? chain

Description: This monoclonal targets TCR beta chain

Target Organism: mouse

Clone ID: Clone H57-597

Antibody ID: AB_2562562

Vendor: BioLegend

Catalog Number: 109230

Alternative Catalog Numbers: 109229

Record Creation Time: 20250820T070810+0000

Record Last Update: 20250821T014033+0000

Ratings and Alerts

No rating or validation information has been found for Brilliant Violet 421™ anti-mouse TCR ? chain.

No alerts have been found for Brilliant Violet 421™ anti-mouse TCR ? chain.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 28 mentions in open access literature.

Listed below are recent publications. The full list is available at [RRID](#) .

Kunze-Schumacher H, et al. (2025) High-resolution mapping of cell cycle dynamics during steady-state T cell development and regeneration in vivo. *Cell reports*, 44(1), 115132.

Okoye GD, et al. (2025) Single-cell map of innate-like lymphocyte response to *Francisella tularensis* infection reveals interleukin-17-dependent protection by MAIT cells. *iScience*, 28(3), 111810.

Huai W, et al. (2025) OAS cross-activates RNase L intercellularly through cell-to-cell transfer of 2-5A to spread innate immunity. *Immunity*, 58(4), 797.

Kasahara T, et al. (2024) Receptor activity-modifying proteins of adrenomedullin (RAMP2/3): Roles in the pathogenesis of ARDS. *Peptides*, 171, 171118.

Li X, et al. (2024) MCRS1 sensitizes T cell-dependent immunotherapy by augmenting MHC-I expression in solid tumors. *The Journal of experimental medicine*, 221(12).

Ren Z, et al. (2024) Transient hydroxycholesterol treatment restrains TCR signaling to promote long-term immunity. *Cell chemical biology*, 31(5), 920.

Xia M, et al. (2024) Elevated IL-22 as a result of stress-induced gut leakage suppresses septal neuron activation to ameliorate anxiety-like behavior. *Immunity*.

Chandra V, et al. (2024) Gut epithelial Interleukin-17 receptor A signaling can modulate distant tumors growth through microbial regulation. *Cancer cell*, 42(1), 85.

Li X, et al. (2024) Deficiency of CBL and CBLB ubiquitin ligases leads to hyper T follicular helper cell responses and lupus by reducing BCL6 degradation. *Immunity*, 57(7), 1603.

Chowdhury CS, et al. (2024) Type I IFN-mediated NET release promotes *Mycobacterium tuberculosis* replication and is associated with granuloma caseation. *Cell host & microbe*, 32(12), 2092.

Cong J, et al. (2024) Bile acids modified by the intestinal microbiota promote colorectal cancer growth by suppressing CD8+ T cell effector functions. *Immunity*.

Linde IL, et al. (2023) Neutrophil-activating therapy for the treatment of cancer. *Cancer cell*, 41(2), 356.

Yan C, et al. (2023) Exhaustion-associated cholesterol deficiency dampens the cytotoxic arm of antitumor immunity. *Cancer cell*, 41(7), 1276.

Finlay CM, et al. (2023) T helper 2 cells control monocyte to tissue-resident macrophage differentiation during nematode infection of the pleural cavity. *Immunity*, 56(5), 1064.

Aguiar CF, et al. (2023) Tissue-specific metabolic profile drives iNKT cell function during obesity and liver injury. *Cell reports*, 42(1), 112035.

Sun R, et al. (2023) ROTACs leverage signaling-incompetent R-spondin for targeted protein degradation. *Cell chemical biology*, 30(7), 739.

Muñoz-Ruiz M, et al. (2023) IFN- γ -dependent interactions between tissue-intrinsic ?? T cells and tissue-infiltrating CD8 T cells limit allergic contact dermatitis. *The Journal of allergy and clinical immunology*, 152(6), 1520.

De Giovanni M, et al. (2023) Platelets and mast cells promote pathogenic eosinophil recruitment during invasive fungal infection via the 5-HIAA-GPR35 ligand-receptor system. *Immunity*, 56(7), 1548.

Henry CM, et al. (2023) SYK ubiquitination by CBL E3 ligases restrains cross-presentation of dead cell-associated antigens by type 1 dendritic cells. *Cell reports*, 42(12), 113506.

Fukushima Y, et al. (2022) cis interaction of CD153 with TCR/CD3 is crucial for the pathogenic activation of senescence-associated T cells. *Cell reports*, 40(12), 111373.