

Resource Summary Report

Generated by [RRID](#) on Sep 10, 2026

Mouse Anti-Synthetic peptide HISTIDINE TAG Monoclonal antibody, Unconjugated, Clone AD1.1.10

RRID:AB_322084

Type: Antibody

Proper Citation

(Bio-Rad Cat# MCA1396, RRID:AB_322084)

Antibody Information

URL: http://antibodyregistry.org/AB_322084

Proper Citation: (Bio-Rad Cat# MCA1396, RRID:AB_322084)

Target Antigen: Synthetic Peptide HISTIDINE TAG

Host Organism: mouse

Clonality: monoclonal

Comments: manufacturer recommendations: ELISA; Immunohistochemistry; Immunoprecipitation; Western Blot; Immunohistology - Frozen, ELISA, Western Blotting, Immunoprecipitation

Antibody Name: Mouse Anti-Synthetic peptide HISTIDINE TAG Monoclonal antibody, Unconjugated, Clone AD1.1.10

Description: This monoclonal targets Synthetic Peptide HISTIDINE TAG

Target Organism: synthetic peptide

Clone ID: Clone AD1.1.10

Antibody ID: AB_322084

Vendor: Bio-Rad

Catalog Number: MCA1396

Record Creation Time: 20260218T233902+0000

Record Last Update: 20260828T174005+0000

Ratings and Alerts

No rating or validation information has been found for Mouse Anti-Synthetic peptide HISTIDINE TAG Monoclonal antibody, Unconjugated, Clone AD1.1.10.

No alerts have been found for Mouse Anti-Synthetic peptide HISTIDINE TAG Monoclonal antibody, Unconjugated, Clone AD1.1.10.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 12 mentions in open access literature.

Listed below are recent publications. The full list is available at [RRID](#) .

Pérez-Chávez I, et al. (2024) Tracking fructose 1,6-bisphosphate dynamics in liver cancer cells using a fluorescent biosensor. *iScience*, 27(12), 111336.

Mao YQ, et al. (2024) DPCD is a regulator of R2TP in ciliogenesis initiation through Akt signaling. *Cell reports*, 43(2), 113713.

Schleinitz A, et al. (2023) Consecutive functions of small GTPases guide HOPS-mediated tethering of late endosomes and lysosomes. *Cell reports*, 42(1), 111969.

Pettmann J, et al. (2023) Mechanical forces impair antigen discrimination by reducing differences in T-cell receptor/peptide-MHC off-rates. *The EMBO journal*, 42(7), e111841.

Boudkkazi S, et al. (2023) A Noelin-organized extracellular network of proteins required for constitutive and context-dependent anchoring of AMPA-receptors. *Neuron*, 111(16), 2544.

Minami SA, et al. (2022) Production of novel SARS-CoV-2 Spike truncations in Chinese hamster ovary cells leads to high expression and binding to antibodies. *Biotechnology journal*, 17(9), e2100678.

Bjørnstad SA, et al. (2022) Rab33b-exocyst interaction mediates localized secretion for focal adhesion turnover and cell migration. *iScience*, 25(5), 104250.

Seraphim TV, et al. (2022) Assembly principles of the human R2TP chaperone complex reveal the presence of R2T and R2P complexes. *Structure (London, England : 1993)*, 30(1), 156.

Wrapp D, et al. (2020) Structural Basis for Potent Neutralization of Betacoronaviruses by Single-Domain Camelid Antibodies. *Cell*, 181(5), 1004.

Kim H, et al. (2019) The Gene-Silencing Protein MORC-1 Topologically Entraps DNA and Forms Multimeric Assemblies to Cause DNA Compaction. *Molecular cell*, 75(4), 700.

Tawo R, et al. (2017) The Ubiquitin Ligase CHIP Integrates Proteostasis and Aging by Regulation of Insulin Receptor Turnover. *Cell*, 169(3), 470.

Polstein LR, et al. (2015) A light-inducible CRISPR-Cas9 system for control of endogenous gene activation. *Nature chemical biology*, 11(3), 198.