

# Resource Summary Report

Generated by [RRID](#) on Aug 10, 2026

## Human EpCAM/TROP-1 Biotinylated Antibody

RRID:AB\_356818

Type: Antibody

---

### Proper Citation

R and D Systems Cat# BAF960, RRID:AB\_356818

---

### Antibody Information

**URL:** [http://antibodyregistry.org/AB\\_356818](http://antibodyregistry.org/AB_356818)

**Proper Citation:** R and D Systems Cat# BAF960, RRID:AB\_356818

**Target Antigen:** EpCAM/TROP1

**Host Organism:** Goat

**Clonality:** polyclonal

**Comments:** Applications: Western Blot, Flow Cytometry, ELISA Detection (Matched Antibody Pair)

**Antibody Name:** Human EpCAM/TROP-1 Biotinylated Antibody

**Description:** This polyclonal targets EpCAM/TROP1

**Target Organism:** Human

**Antibody ID:** AB\_356818

**Vendor:** R and D Systems

**Catalog Number:** BAF960

**Record Creation Time:** 20250820T044827+0000

**Record Last Update:** 20250820T195911+0000

---

### Ratings and Alerts

No rating or validation information has been found for Human EpCAM/TROP-1 Biotinylated Antibody.

No alerts have been found for Human EpCAM/TROP-1 Biotinylated Antibody.

---

## Data and Source Information

**Source:** [Antibody Registry](#)

---

## Usage and Citation Metrics

We found 4 mentions in open access literature.

**Listed below are recent publications.** The full list is available at [RRID](#) .

Arafa AT, et al. (2026) Plasma extracellular vesicle proteomics nominates candidate biomarkers of 177Lu-PSMA-617 outcomes in metastatic prostate cancer patients. Cell reports. Medicine, 7(5), 102764.

Sharifi MN, et al. (2025) High-purity CTC RNA sequencing identifies prostate cancer lineage phenotypes prognostic for clinical outcomes. Cancer discovery, 15(5), 969.

Purcell E, et al. (2024) Circulating tumor cells reveal early predictors of disease progression in patients with stage III NSCLC undergoing chemoradiation and immunotherapy. Cell reports, 43(2), 113687.

Lin E, et al. (2017) High-Throughput Microfluidic Labyrinth for the Label-free Isolation of Circulating Tumor Cells. Cell systems, 5(3), 295.