

Resource Summary Report

Generated by [RRID](#) on Jul 28, 2026

ACE [2E2] antibody

RRID:AB_367237

Type: Antibody

Proper Citation

GeneTex Cat# GTX11734, RRID:AB_367237

Antibody Information

URL: http://antibodyregistry.org/AB_367237

Proper Citation: GeneTex Cat# GTX11734, RRID:AB_367237

Target Antigen: ACE [2E2] antibody

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: Western Blot; Immunohistochemistry - fixed; ELISA; Immunohistochemistry; ELISA, IHC (Formalin-fixed paraffin-embedded sections), Western blot. The usefulness of this product in other applications has not been determined., ELISA, IHC-P, WB, ELISA: Use at an assay dependent dilution. IHC-P: Use at a dilution of neat - 1/20. Perform heat mediated antigen retrieval before commencing with IHC staining protocol. WB: Use at a dilution of 1/50 - 1/100. Predicted molecular weight: 170 (somatic) or 90 (germinal) kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.

Antibody Name: ACE [2E2] antibody

Description: This monoclonal targets ACE [2E2] antibody

Target Organism: feline, rat, canine, cow, mouse, rabbit, cat, bovine, human, dog

Antibody ID: AB_367237

Vendor: GeneTex

Catalog Number: GTX11734

Record Creation Time: 20250820T064731+0000

Record Last Update: 20250821T005603+0000

Ratings and Alerts

No rating or validation information has been found for ACE [2E2] antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: Western Blot; Immunohistochemistry - fixed; ELISA; Immunohistochemistry; ELISA, IHC (Formalin-fixed paraffin-embedded sections), Western blot. The usefulness of this product in other applications has not been determined., ELISA, IHC-P, WB, ELISA: Use at an assay dependent dilution. IHC-P: Use at a dilution of neat - 1/20. Perform heat mediated antigen retrieval before commencing with IHC staining protocol. WB: Use at a dilution of 1/50 - 1/100. Predicted molecular weight: 170 (somatic) or 90 (germinal) kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.