

Resource Summary Report

Generated by [RRID](#) on Aug 11, 2026

Cytohesin 3 antibody [CYT3-10]

RRID:AB_368069

Type: Antibody

Proper Citation

GeneTex Cat# GTX13046, RRID:AB_368069

Antibody Information

URL: http://antibodyregistry.org/AB_368069

Proper Citation: GeneTex Cat# GTX13046, RRID:AB_368069

Target Antigen: Cytohesin 3 antibody [CYT3-10]

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: IgG1; IgG1 Western Blot; ELISA; Immunodiffusion; Immunocytochemistry; DID, ELISA, ICC, WB, Double immunodiffusion, ELISA, Immunocytochemistry, Western blot. The usefulness of this product in other applications has not been determined., DID: Use at an assay dependent dilution. ELISA: Use at an assay dependent dilution. ICC: Use at an assay dependent dilution. WB: Use at a concentration of 2 - 4 µg/ml (determines using whole cell extract of NRK). Predicted molecular weight: 45 kDa and additional bands at 40 and 35 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.

Antibody Name: Cytohesin 3 antibody [CYT3-10]

Description: This monoclonal targets Cytohesin 3 antibody [CYT3-10]

Target Organism: rat, human

Antibody ID: AB_368069

Vendor: GeneTex

Catalog Number: GTX13046

Record Creation Time: 20250819T215551+0000

Record Last Update: 20250820T003351+0000

Ratings and Alerts

No rating or validation information has been found for Cytohesin 3 antibody [CYT3-10].

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: IgG1; IgG1 Western Blot; ELISA; Immunodiffusion; Immunocytochemistry; DID, ELISA, ICC, WB, Double immunodiffusion, ELISA, Immunocytochemistry, Western blot. The usefulness of this product in other applications has not been determined., DID: Use at an assay dependent dilution. ELISA: Use at an assay dependent dilution. ICC: Use at an assay dependent dilution. WB: Use at a concentration of 2 - 4 µg/ml (determines using whole cell extract of NRK). Predicted molecular weight: 45 kDa and additional bands at 40 and 35 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.