

Resource Summary Report

Generated by [RRID](#) on Jul 29, 2026

CD3 [PS1] antibody

RRID:AB_369099

Type: Antibody

Proper Citation

GeneTex Cat# GTX20699, RRID:AB_369099

Antibody Information

URL: http://antibodyregistry.org/AB_369099

Proper Citation: GeneTex Cat# GTX20699, RRID:AB_369099

Target Antigen: CD3 [PS1] antibody

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: Immunohistochemistry, IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections). The usefulness of this product in other applications has not been determined., IHC, IHC-Fr, IHC-P, This antibody may be diluted to a titer of 1:25-1:100 in an ABC method. We suggest an incubation period of 30-60 minutes at room alltemperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation and dilutions should be determined by the user. Heat mediated antigen retrieval of formalin fixed paraffin embedded tissues may be required before immunostaining. This antibody works on acetone fixed frozen sections.; Immunohistochemistry; Immunohistochemistry - frozen; Immunohistochemistry - fixed

Antibody Name: CD3 [PS1] antibody

Description: This monoclonal targets CD3 [PS1] antibody

Target Organism: human

Antibody ID: AB_369099

Vendor: GeneTex

Catalog Number: GTX20699

Record Creation Time: 20250820T053500+0000

Ratings and Alerts

No rating or validation information has been found for CD3 [PS1] antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: Immunohistochemistry, IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections). The usefulness of this product in other applications has not been determined., IHC, IHC-Fr, IHC-P, This antibody may be diluted to a titer of 1:25-1:100 in an ABC method. We suggest an incubation period of 30-60 minutes at room alltemperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation and dilutions should be determined by the user. Heat mediated antigen retrieval of formalin fixed paraffin embedded tissues may be required before immunostaining. This antibody works on acetone fixed frozen sections.; Immunohistochemistry; Immunohistochemistry - frozen; Immunohistochemistry - fixed

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.