

Resource Summary Report

Generated by [RRID](#) on Aug 3, 2026

TNF receptor II antibody (ready-to-use)

RRID:AB_369130

Type: Antibody

Proper Citation

GeneTex Cat# GTX15564, RRID:AB_369130

Antibody Information

URL: http://antibodyregistry.org/AB_369130

Proper Citation: GeneTex Cat# GTX15564, RRID:AB_369130

Target Antigen: TNF receptor II antibody (ready-to-use)

Host Organism: rabbit

Clonality: polyclonal

Comments: Discontinued; manufacturer recommendations: IgG; IgG Immunohistochemistry; Immunohistochemistry - fixed; Immunohistochemistry, IHC (Formalin-fixed paraffin-embedded sections). IHC-P: Working dilution: Ready-to-use for 30 min at RT. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM citrate buffer, pH 6.0 for 10 min followed by cooling at RT for 20 min. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.

Antibody Name: TNF receptor II antibody (ready-to-use)

Description: This polyclonal targets TNF receptor II antibody (ready-to-use)

Target Organism: rat, mouse, human

Antibody ID: AB_369130

Vendor: GeneTex

Catalog Number: GTX15564

Record Creation Time: 20250820T011936+0000

Record Last Update: 20250820T103803+0000

Ratings and Alerts

No rating or validation information has been found for TNF receptor II antibody (ready-to-use).

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: IgG; IgG Immunohistochemistry; Immunohistochemistry - fixed; Immunohistochemistry, IHC (Formalin-fixed paraffin-embedded sections). IHC-P: Working dilution: Ready-to-use for 30 min at RT. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM citrate buffer, pH 6.0 for 10 min followed by cooling at RT for 20 min. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.