

Resource Summary Report

Generated by [RRID](#) on Aug 2, 2026

Glycophorin A [HIR2] antibody

RRID:AB_369186

Type: Antibody

Proper Citation

GeneTex Cat# GTX15009, RRID:AB_369186

Antibody Information

URL: http://antibodyregistry.org/AB_369186

Proper Citation: GeneTex Cat# GTX15009, RRID:AB_369186

Target Antigen: Glycophorin A [HIR2] antibody

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: Immunofluorescence; Agglutination; Flow Cytometry; Immunohistochemistry; Immunohistochemistry - frozen; Flow cytometry/FACS, IHC (Frozen sections). The usefulness of this product in other applications has not been determined., FACS, IHC-Fr, FACS: Tested by flow cytometric analysis of human peripheral blood leukocytes and cell agglutination assay. Can be used at approximately 0.1 mg per million cells. IHC-Fr: Use at an assay dependent dilution. Agglutination studies: The antibody agglutinates untreated RBCs but it fails to agglutinate papain-treated cells. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.

Antibody Name: Glycophorin A [HIR2] antibody

Description: This monoclonal targets Glycophorin A [HIR2] antibody

Target Organism: human

Antibody ID: AB_369186

Vendor: GeneTex

Catalog Number: GTX15009

Record Creation Time: 20250820T041113+0000

Record Last Update: 20250820T181659+0000

Ratings and Alerts

No rating or validation information has been found for Glycophorin A [HIR2] antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: Immunofluorescence; Agglutination; Flow Cytometry; Immunohistochemistry; Immunohistochemistry - frozen; Flow cytometry/FACS, IHC (Frozen sections). The usefulness of this product in other applications has not been determined., FACS, IHC-Fr, FACS: Tested by flow cytometric analysis of human peripheral blood leukocytes and cell agglutination assay. Can be used at approximately 0.1 mg per million cells. IHC-Fr: Use at an assay dependent dilution. Agglutination studies: The antibody agglutinates untreated RBCs but it fails to agglutinate papain-treated cells. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.