

Resource Summary Report

Generated by [RRID](#) on Jul 30, 2026

Cytokeratin 15 [LKH15] antibody

RRID:AB_369527

Type: Antibody

Proper Citation

GeneTex Cat# GTX21385, RRID:AB_369527

Antibody Information

URL: http://antibodyregistry.org/AB_369527

Proper Citation: GeneTex Cat# GTX21385, RRID:AB_369527

Target Antigen: Cytokeratin 15 [LKH15] antibody

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: Immunohistochemistry - fixed; Immunohistochemistry - frozen; Immunohistochemistry; IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections). The usefulness of this product in other applications has not been determined., IHC-Fr, IHC-P, This antibody may be diluted to a titer of 1:25 to 1:50 in an ABC method. High temperature antigen unmasking with 10mM citrate buffer, pH 6.0 is required prior to immunostaining. We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation should be determined by the user.

Antibody Name: Cytokeratin 15 [LKH15] antibody

Description: This monoclonal targets Cytokeratin 15 [LKH15] antibody

Antibody ID: AB_369527

Vendor: GeneTex

Catalog Number: GTX21385

Record Creation Time: 20250819T230730+0000

Record Last Update: 20250820T042144+0000

Ratings and Alerts

No rating or validation information has been found for Cytokeratin 15 [LKH15] antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: Immunohistochemistry - fixed; Immunohistochemistry - frozen; Immunohistochemistry; IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections). The usefulness of this product in other applications has not been determined., IHC-Fr, IHC-P, This antibody may be diluted to a titer of 1:25 to 1:50 in an ABC method. High temperature antigen unmasking with 10mM citrate buffer, pH 6.0 is required prior to immunostaining. We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation should be determined by the user.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.