

Resource Summary Report

Generated by [RRID](#) on Sep 11, 2026

[ELAVL1 \[19F12\] antibody](#)

RRID:AB_370257

Type: Antibody

Proper Citation

GeneTex Cat# GTX14371, RRID:AB_370257

Antibody Information

URL: http://antibodyregistry.org/AB_370257

Proper Citation: GeneTex Cat# GTX14371, RRID:AB_370257

Target Antigen: ELAVL1 [19F12] antibody

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: Immunohistochemistry - fixed; Immunohistochemistry; Western Blot; Immunohistochemistry - frozen; IHC-P: Use at a concentration of 0.1 - 1 µg/ml. Perform heat mediated antigen retrieval before commencing with IHC staining protocol, (13min in 10mM citrate buffer pH6 followed by rapid cooling on ice). IHC-Fr: Use at a concentration of 0.1 - 1 µg/ml. WB: Use at a concentration of 1 µg/ml in 1x BLOTTO or 3 BSA in PBS (with ECL or ECL plus). Predicted molecular weight: 36 kDa. Predicted molecular weight: 36 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user., IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections), Western blot. The usefulness of this product in other applications has not been determined.

Antibody Name: ELAVL1 [19F12] antibody

Description: This monoclonal targets ELAVL1 [19F12] antibody

Antibody ID: AB_370257

Vendor: GeneTex

Catalog Number: GTX14371

Record Creation Time: 20231110T081214+0000

Record Last Update: 20260831T235246+0000

Ratings and Alerts

No rating or validation information has been found for ELAVL1 [19F12] antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: Immunohistochemistry - fixed; Immunohistochemistry; Western Blot; Immunohistochemistry - frozen; IHC-P: Use at a concentration of 0.1 - 1 µg/ml. Perform heat mediated antigen retrieval before commencing with IHC staining protocol, (13min in 10mM citrate buffer pH6 followed by rapid cooling on ice). IHC-Fr: Use at a concentration of 0.1 - 1 µg/ml. WB: Use at a concentration of 1 µg/ml in 1x BLOTTO or 3 BSA in PBS (with ECL or ECL plus). Predicted molecular weight: 36 kDa. Predicted molecular weight: 36 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user., IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections), Western blot. The usefulness of this product in other applications has not been determined.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.