Resource Summary Report

Generated by RRID on Aug 7, 2026

HDAC2 antibody

RRID:AB_371569
Type: Antibody

Proper Citation

GeneTex Cat# GTX27029, RRID:AB_371569

Antibody Information

URL: http://antibodyregistry.org/AB_371569

Proper Citation: GeneTex Cat# GTX27029, RRID:AB_371569

Target Antigen: HDAC2 antibody

Host Organism: rabbit

Clonality: polyclonal

Comments: Discontinued; manufacturer recommendations: IgG; IgG Immunohistochemistry; Immunoprecipitation; ChIP; Dot Blot; Immunohistochemistry - fixed; Other; Western Blot; ChIP assay, Dot blot, IHC (Formalin-fixed paraffin-embedded sections), Immunoprecipitation, Western blot. ChIP: Use 2µl for 10^6 cells. Dot: Use at an assay dependent dilution. IHC-P: Use at a dilution of 1/500. Perform enzymatic antigen retrieval before commencing with IHC staining protocol. IP: Use at a dilution of 1/2500. WB: Use at a dilution of 1/2000 - 1/20000. Predicted molecular weight: 55.3 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.

Antibody Name: HDAC2 antibody

Description: This polyclonal targets HDAC2 antibody

Target Organism: rat, mouse, chickenbird, human

Antibody ID: AB_371569

Vendor: GeneTex

Catalog Number: GTX27029

Record Creation Time: 20250820T032301+0000

Record Last Update: 20250820T160633+0000

Ratings and Alerts

No rating or validation information has been found for HDAC2 antibody.

Warning: Discontinued at GeneTex
Discontinued; manufacturer recommendations: IgG; IgG Immunohistochemistry; Immunoprecipitation; ChIP; Dot Blot; Immunohistochemistry - fixed; Other; Western Blot; ChIP assay, Dot blot, IHC (Formalin-fixed paraffin-embedded sections), Immunoprecipitation, Western blot. ChIP: Use 2µl for 10^6 cells. Dot: Use at an assay dependent dilution. IHC-P: Use at a dilution of 1/500. Perform enzymatic antigen retrieval before commencing with IHC staining protocol. IP: Use at a dilution of 1/2500. WB: Use at a dilution of 1/2000 - 1/20000. Predicted molecular weight: 55.3 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.

Data and Source Information

Source: Antibody Registry

Usage and Citation Metrics

We have not found any literature mentions for this resource.