

Resource Summary Report

Generated by [RRID](#) on Aug 8, 2026

Tubulin beta IV antibody [ONS.1A6]

RRID:AB_373247

Type: Antibody

Proper Citation

GeneTex Cat# GTX11315, RRID:AB_373247

Antibody Information

URL: http://antibodyregistry.org/AB_373247

Proper Citation: GeneTex Cat# GTX11315, RRID:AB_373247

Target Antigen: Tubulin beta IV antibody [ONS.1A6]

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: IgG1; IgG1 ELISA, Immunohistochemistry, Western blot. The usefulness of this product in other applications has not been determined., ELISA, IHC, WB, ELISA: Use at an assay dependent dilution. IHC: Use at an assay dependent dilution. Use with 10 neutral buffered formalinalcoholic formalin-xylene, paraffin-embedded, or 1-2 glutaraldehyde-4 formaldehyde fixed, LR Gold embedded. WB: Use at a dilution of 1/400. Detects a band of approximately 55 kDa and possibly the 100 kDa dimer. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.; Immunohistochemistry; Immunohistochemistry - fixed; ELISA; Western Blot

Antibody Name: Tubulin beta IV antibody [ONS.1A6]

Description: This monoclonal targets Tubulin beta IV antibody [ONS.1A6]

Target Organism: rat, hamster, cow, mouse, chickenbird, bovine, human

Antibody ID: AB_373247

Vendor: GeneTex

Catalog Number: GTX11315

Record Creation Time: 20250820T031931+0000

Record Last Update: 20250820T155642+0000

Ratings and Alerts

No rating or validation information has been found for Tubulin beta IV antibody [ONS.1A6].

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: IgG1; IgG1 ELISA, Immunohistochemistry, Western blot. The usefulness of this product in other applications has not been determined., ELISA, IHC, WB, ELISA: Use at an assay dependent dilution. IHC: Use at an assay dependent dilution. Use with 10 neutral buffered formalinalcoholic formalin-xylene, paraffin-embedded, or 1-2 glutaraldehyde-4 formaldehyde fixed, LR Gold embedded. WB: Use at a dilution of 1/400. Detects a band of approximately 55 kDa and possibly the 100 kDa dimer. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.; Immunohistochemistry; Immunohistochemistry - fixed; ELISA; Western Blot

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 1 mentions in open access literature.

Listed below are recent publications. The full list is available at [RRID](#) .

Thomas SN, et al. (2023) Down syndrome is associated with altered frequency and functioning of tracheal multiciliated cells, and response to influenza virus infection. iScience, 26(8), 107361.