

Resource Summary Report

Generated by [RRID](#) on Sep 6, 2026

Ubiquitin antibody (ready-to-use)

RRID:AB_373518

Type: Antibody

Proper Citation

GeneTex Cat# GTX73354, RRID:AB_373518

Antibody Information

URL: http://antibodyregistry.org/AB_373518

Proper Citation: GeneTex Cat# GTX73354, RRID:AB_373518

Target Antigen: Ubiquitin antibody (ready-to-use)

Host Organism: rabbit

Clonality: polyclonal

Comments: Discontinued; manufacturer recommendations: IgG; IgG Immunohistochemistry; Immunohistochemistry - frozen; Immunohistochemistry - fixed; Immunohistochemistry, IHC (Formalin-fixed paraffin-embedded sections). This antibody has been pretitered and quality controlled to work on formalin-fixed paraffin-embedded as well as acetone fixed cryostat tissue sections. No further titration is required. We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation conditions should be determined by the user. Suitable for formalin/paraffin tissues.

Antibody Name: Ubiquitin antibody (ready-to-use)

Description: This polyclonal targets Ubiquitin antibody (ready-to-use)

Target Organism: feline, rat, hamster, donkey, porcine, canine, goat, horse, mouse, rabbit, other mammalian, bovine, human, sheep

Antibody ID: AB_373518

Vendor: GeneTex

Catalog Number: GTX73354

Record Creation Time: 20231110T081219+0000

Record Last Update: 20260829T204129+0000

Ratings and Alerts

No rating or validation information has been found for Ubiquitin antibody (ready-to-use).

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: IgG; IgG Immunohistochemistry; Immunohistochemistry - frozen; Immunohistochemistry - fixed; Immunohistochemistry, IHC (Formalin-fixed paraffin-embedded sections). This antibody has been pretitered and quality controlled to work on formalin-fixed paraffin-embedded as well as acetone fixed cryostat tissue sections. No further titration is required. We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation conditions should be determined by the user. Suitable for formalin/paraffin tissues.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.