

Resource Summary Report

Generated by [RRID](#) on Sep 10, 2026

CD45 [F10-89-4] antibody

RRID:AB_377435

Type: Antibody

Proper Citation

GeneTex Cat# GTX76586, RRID:AB_377435

Antibody Information

URL: http://antibodyregistry.org/AB_377435

Proper Citation: GeneTex Cat# GTX76586, RRID:AB_377435

Target Antigen: CD45 [F10-89-4] antibody

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: Flow cytometry/FACS, IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections), Immunoprecipitation. The usefulness of this product in other applications has not been determined., FACS, IHC-Fr, IHC-P, IP, For Flow cytometry: Use at a dilution of 1:100 - 1:200. For IHC-Fr, IHC-P, and IP: Use at an assay dependent dilution. Not tested in other applications. Optimal concentrations/dilutions should be determined by the researcher. *This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. 1mM EDTA pH8.0 is recommended for this purpose.; Immunohistochemistry; Immunoprecipitation; Immunohistochemistry - fixed; Immunohistochemistry - frozen; Flow Cytometry; Immunofluorescence

Antibody Name: CD45 [F10-89-4] antibody

Description: This monoclonal targets CD45 [F10-89-4] antibody

Target Organism: human

Antibody ID: AB_377435

Vendor: GeneTex

Catalog Number: GTX76586

Record Creation Time: 20231110T081225+0000

Ratings and Alerts

No rating or validation information has been found for CD45 [F10-89-4] antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: Flow cytometry/FACS, IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections), Immunoprecipitation. The usefulness of this product in other applications has not been determined., FACS, IHC-Fr, IHC-P, IP, For Flow cytometry: Use at a dilution of 1:100 - 1:200. For IHC-Fr, IHC-P, and IP: Use at an assay dependent dilution. Not tested in other applications. Optimal concentrations/dilutions should be determined by the researcher. *This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. 1mM EDTA pH8.0 is recommended for this purpose.; Immunohistochemistry; Immunoprecipitation; Immunohistochemistry - fixed; Immunohistochemistry - frozen; Flow Cytometry; Immunofluorescence

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.