

Resource Summary Report

Generated by [RRID](#) on Aug 2, 2026

IGF1 receptor [33255.111] antibody

RRID:AB_425127

Type: Antibody

Proper Citation

GeneTex Cat# GTX16817, RRID:AB_425127

Antibody Information

URL: http://antibodyregistry.org/AB_425127

Proper Citation: GeneTex Cat# GTX16817, RRID:AB_425127

Target Antigen: IGF1 receptor [33255.111] antibody

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: Western Blot; Block/Neutralize/Inhibit; Immunohistochemistry; ELISA; For ELISA: Use at a concentration of 2 - 2.5µg/ml. For Neut: Use at a concentration of 10 - 12µg/ml. Neutralizes ~50-75 of IGF-I receptor-mediated rhIGF-I biological activity in MCF7 cells. Will block cell surface IGF-I receptor mediated IGF-I and IGF-II bioactivities. For WB: Use at a concentration of 1 - 2 µg/ml under non reducing conditions. Predicted molecular weight: 155 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the researcher., ELISA, Neutralizing, Western blot. The usefulness of this product in other applications has not been determined., ELISA, Neut, WB

Antibody Name: IGF1 receptor [33255.111] antibody

Description: This monoclonal targets IGF1 receptor [33255.111] antibody

Antibody ID: AB_425127

Vendor: GeneTex

Catalog Number: GTX16817

Record Creation Time: 20250820T065147+0000

Record Last Update: 20250821T010522+0000

Ratings and Alerts

No rating or validation information has been found for IGF1 receptor [33255.111] antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: Western Blot; Block/Neutralize/Inhibit; Immunohistochemistry; ELISA; For ELISA: Use at a concentration of 2 - 2.5µg/ml. For Neut: Use at a concentration of 10 - 12µg/ml. Neutralizes ~50-75 of IGF-I receptor-mediated rhIGF-I biological activity in MCF7 cells. Will block cell surface IGF-I receptor mediated IGF-I and IGF-II bioactivities. For WB: Use at a concentration of 1 - 2 µg/ml under non reducing conditions. Predicted molecular weight: 155 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the researcher., ELISA, Neutralizing, Western blot. The usefulness of this product in other applications has not been determined., ELISA, Neut, WB

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.