

Resource Summary Report

Generated by [RRID](#) on Jul 31, 2026

Donkey anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, HRP

RRID:AB_325993

Type: Antibody

Proper Citation

Thermo Fisher Scientific Cat# SA1-100, RRID:AB_325993

Antibody Information

URL: http://antibodyregistry.org/AB_325993

Proper Citation: Thermo Fisher Scientific Cat# SA1-100, RRID:AB_325993

Target Antigen: Mouse IgG (H+L)

Host Organism: donkey

Clonality: polyclonal secondary

Comments: Applications: WB (1:1,000-1:20,000)

Antibody Name: Donkey anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, HRP

Description: This polyclonal secondary targets Mouse IgG (H+L)

Target Organism: mouse

Defining Citation: [PMID:18409071](#), [PMID:24118410](#)

Antibody ID: AB_325993

Vendor: Thermo Fisher Scientific

Catalog Number: SA1-100

Record Creation Time: 20250820T053522+0000

Record Last Update: 20250820T215633+0000

Ratings and Alerts

No rating or validation information has been found for Donkey anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, HRP.

No alerts have been found for Donkey anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, HRP.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 8 mentions in open access literature.

Listed below are recent publications. The full list is available at [RRID](#) .

Wang J, et al. (2025) Galnt2 neurons in the ventromedial hypothalamus counterregulate hypoglycemia via a brain-liver neurocircuit. *Cell metabolism*, 37(11), 2264.

Brzozowski CF, et al. (2025) Early α -synuclein aggregation decreases corticostriatal glutamate drive and synapse density. *Neurobiology of disease*, 210, 106918.

del Angel M, et al. (2025) The Serine/Threonine Kinase NDR2 Regulates Integrin Signaling, Synapse Formation, and Synaptic Plasticity in the Hippocampus. *Journal of neurochemistry*, 169(6), e70094.

Krach F, et al. (2025) RNA splicing modulator for Huntington's disease treatment induces peripheral neuropathy. *iScience*, 28(5), 112380.

Raina A, et al. (2025) Skin-derived α -synuclein strains from PD, DLB, and MSA induce distinct intracellular pathology and neurodegeneration. *The Journal of biological chemistry*, 302(1), 111005.

Li B, et al. (2024) Neural stem cell-derived exosomes promote mitochondrial biogenesis and restore abnormal protein distribution in a mouse model of Alzheimer's disease. *Neural regeneration research*, 19(7), 1593.

Park SK, et al. (2022) Group II intron-like reverse transcriptases function in double-strand break repair. *Cell*, 185(20), 3671.

Chen J, et al. (2018) Atypical Cadherin Dachsous1b Interacts with Ttc28 and Aurora B to Control Microtubule Dynamics in Embryonic Cleavages. *Developmental cell*, 45(3), 376.