

# Resource Summary Report

Generated by [RRID](#) on Jul 30, 2026

## Donkey anti-Rabbit IgG (H+L) Cross-Adsorbed Secondary Antibody, HRP

RRID:AB\_325994

Type: Antibody

---

### Proper Citation

Thermo Fisher Scientific Cat# SA1-200, RRID:AB\_325994

---

### Antibody Information

**URL:** [http://antibodyregistry.org/AB\\_325994](http://antibodyregistry.org/AB_325994)

**Proper Citation:** Thermo Fisher Scientific Cat# SA1-200, RRID:AB\_325994

**Target Antigen:** Rabbit IgG (H+L)

**Host Organism:** donkey

**Clonality:** polyclonal secondary

**Comments:** Applications: WB (1:60-1:5,000)

**Antibody Name:** Donkey anti-Rabbit IgG (H+L) Cross-Adsorbed Secondary Antibody, HRP

**Description:** This polyclonal secondary targets Rabbit IgG (H+L)

**Target Organism:** rabbit

**Defining Citation:** [PMID:24777581](#), [PMID:23794138](#), [PMID:14704233](#), [PMID:24470146](#)

**Antibody ID:** AB\_325994

**Vendor:** Thermo Fisher Scientific

**Catalog Number:** SA1-200

**Record Creation Time:** 20250820T035017+0000

**Record Last Update:** 20250820T171939+0000

---

### Ratings and Alerts

No rating or validation information has been found for Donkey anti-Rabbit IgG (H+L) Cross-Adsorbed Secondary Antibody, HRP.

No alerts have been found for Donkey anti-Rabbit IgG (H+L) Cross-Adsorbed Secondary Antibody, HRP.

---

## Data and Source Information

**Source:** [Antibody Registry](#)

---

## Usage and Citation Metrics

We found 10 mentions in open access literature.

**Listed below are recent publications.** The full list is available at [RRID](#).

Krach F, et al. (2025) RNA splicing modulator for Huntington's disease treatment induces peripheral neuropathy. *iScience*, 28(5), 112380.

Raina A, et al. (2025) Skin-derived  $\alpha$ -synuclein strains from PD, DLB, and MSA induce distinct intracellular pathology and neurodegeneration. *The Journal of biological chemistry*, 302(1), 111005.

Carpentier M, et al. (2025) Seipin Governs caveolin-1 trafficking through modulating sphingolipid-glycerolipid balance. *Cell reports*, 44(10), 116320.

Li B, et al. (2024) Neural stem cell-derived exosomes promote mitochondrial biogenesis and restore abnormal protein distribution in a mouse model of Alzheimer's disease. *Neural regeneration research*, 19(7), 1593.

Benwell CJ, et al. (2024) A proteomics approach to isolating neuropilin-dependent  $\alpha$ 5 integrin trafficking pathways: neuropilin 1 and 2 co-traffic  $\alpha$ 5 integrin through endosomal p120RasGAP to promote polarised fibronectin fibrillogenesis in endothelial cells. *Communications biology*, 7(1), 629.

Koster KP, et al. (2024) Akap5 links synaptic dysfunction to neuroinflammatory signaling in a mouse model of infantile neuronal ceroid lipofuscinosis. *Frontiers in synaptic neuroscience*, 16, 1384625.

Koster KP, et al. (2023) Loss of Depalmitoylation Disrupts Homeostatic Plasticity of AMPARs in a Mouse Model of Infantile Neuronal Ceroid Lipofuscinosis. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 43(49), 8317.

Yap L, et al. (2019) In Vivo Generation of Post-infarct Human Cardiac Muscle by Laminin-Promoted Cardiovascular Progenitors. *Cell reports*, 26(12), 3231.

Hofmann F, et al. (2019) Cx43-Gap Junctions Accumulate at the Cytotoxic Immunological Synapse Enabling Cytotoxic T Lymphocyte Melanoma Cell Killing. *International journal of molecular sciences*, 20(18).

Sim J, et al. (2018) The Factor Inhibiting HIF Asparaginyl Hydroxylase Regulates Oxidative Metabolism and Accelerates Metabolic Adaptation to Hypoxia. *Cell metabolism*, 27(4), 898.