

Resource Summary Report

Generated by [RRID](#) on Aug 5, 2026

APE [13B8E5C2] antibody

RRID:AB_367810

Type: Antibody

Proper Citation

GeneTex Cat# GTX20194, RRID:AB_367810

Antibody Information

URL: http://antibodyregistry.org/AB_367810

Proper Citation: GeneTex Cat# GTX20194, RRID:AB_367810

Target Antigen: APE [13B8E5C2] antibody

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: Immunocytochemistry, IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections), Immunoprecipitation, Western blot. The usefulness of this product in other applications has not been determined., ICC, IHC-Fr, IHC-P, IP, WB, ICC: Use at an assay dependant dilution. IHC-P: Use at a dilution of 1/5000. IHC-Fr: Use at a dilution of 1/5000. IP: Use at an assay dependant dilution. WB: Use at a dilution of 1/2000. Predicted molecular weight: 37 kDa. Can be competed from recognizing APE/ref-1 antigen in tissues using APE/ref-1 protein. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.; Immunocytochemistry; Immunohistochemistry - fixed; Immunohistochemistry; Immunohistochemistry - frozen; Western Blot; Immunoprecipitation

Antibody Name: APE [13B8E5C2] antibody

Description: This monoclonal targets APE [13B8E5C2] antibody

Target Organism: rat, mouse, human

Antibody ID: AB_367810

Vendor: GeneTex

Catalog Number: GTX20194

Record Creation Time: 20250819T212206+0000

Record Last Update: 20250819T224359+0000

Ratings and Alerts

No rating or validation information has been found for APE [13B8E5C2] antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: Immunocytochemistry, IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections), Immunoprecipitation, Western blot. The usefulness of this product in other applications has not been determined., ICC, IHC-Fr, IHC-P, IP, WB, ICC: Use at an assay dependant dilution. IHC-P: Use at a dilution of 1/5000. IHC-Fr: Use at a dilution of 1/5000. IP: Use at an assay dependant dilution. WB: Use at a dilution of 1/2000. Predicted molecular weight: 37 kDa. Can be competed from recognizing APE/ref-1 antigen in tissues using APE/ref-1 protein. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.; Immunocytochemistry; Immunohistochemistry - fixed; Immunohistochemistry; Immunohistochemistry - frozen; Western Blot; Immunoprecipitation

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.