

Resource Summary Report

Generated by [RRID](#) on Jul 29, 2026

S100 antibody (ready-to-use)

RRID:AB_368577

Type: Antibody

Proper Citation

GeneTex Cat# GTX20948, RRID:AB_368577

Antibody Information

URL: http://antibodyregistry.org/AB_368577

Proper Citation: GeneTex Cat# GTX20948, RRID:AB_368577

Target Antigen: S100 antibody (ready-to-use)

Host Organism: rabbit

Clonality: polyclonal

Comments: Discontinued; manufacturer recommendations: IgG; IgG IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections). This antibody has been pretitered and quality controlled to work allon formalin-fixed paraffin-embedded as well as acetone fixed cryostat tissue sections. No further titration is required. We suggest an incubation period of 30-60 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation conditions should be determined by the user. Proteolytic digestion of tissue section is required prior to staining.; Immunohistochemistry - frozen; Immunohistochemistry - fixed; Immunohistochemistry

Antibody Name: S100 antibody (ready-to-use)

Description: This polyclonal targets S100 antibody (ready-to-use)

Target Organism: bovine, human

Antibody ID: AB_368577

Vendor: GeneTex

Catalog Number: GTX20948

Record Creation Time: 20250820T061539+0000

Record Last Update: 20250820T233920+0000

Ratings and Alerts

No rating or validation information has been found for S100 antibody (ready-to-use).

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: IgG; IgG IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections). This antibody has been preitered and quality controlled to work allon formalin-fixed paraffin-embedded as well as acetone fixed cryostat tissue sections. No further titration is required. We suggest an incubation period of 30-60 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation conditions should be determined by the user. Proteolytic digestion of tissue section is required prior to staining.; Immunohistochemistry - frozen; Immunohistochemistry - fixed; Immunohistochemistry

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.