

Resource Summary Report

Generated by [RRID](#) on Aug 6, 2026

Tau [TAU-5] antibody

RRID:AB_369946

Type: Antibody

Proper Citation

GeneTex Cat# GTX23931, RRID:AB_369946

Antibody Information

URL: http://antibodyregistry.org/AB_369946

Proper Citation: GeneTex Cat# GTX23931, RRID:AB_369946

Target Antigen: Tau [TAU-5] antibody

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: For IHC-Fr: Use at an assay dependent dilution. For IHC-P: Use at a dilution of 1:25-1:50 in an ABC method. We suggest an incubation period of 30 minutes at RT. Formalin fixed paraffin embedded tissue sections require high temperature antigen unmasking with 10 mM citrate buffer, pH 6.0 prior to immunostaining. For WB: Use at a dilution of 1:50-1:100. Not tested in other applications. Optimal dilutions/concentrations should be determined by the researcher., IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections), Western blot. The usefulness of this product in other applications has not been determined., IHC-Fr, IHC-P, WB; Immunohistochemistry; Immunohistochemistry - frozen; Immunohistochemistry - fixed; Western Blot

Antibody Name: Tau [TAU-5] antibody

Description: This monoclonal targets Tau [TAU-5] antibody

Target Organism: bovine

Antibody ID: AB_369946

Vendor: GeneTex

Catalog Number: GTX23931

Record Creation Time: 20250820T000644+0000

Ratings and Alerts

No rating or validation information has been found for Tau [TAU-5] antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: For IHC-Fr: Use at an assay dependent dilution. For IHC-P: Use at a dilution of 1:25-1:50 in an ABC method. We suggest an incubation period of 30 minutes at RT. Formalin fixed paraffin embedded tissue sections require high temperature antigen unmasking with 10 mM citrate buffer, pH 6.0 prior to immunostaining. For WB: Use at a dilution of 1:50-1:100. Not tested in other applications. Optimal dilutions/concentrations should be determined by the researcher., IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections), Western blot. The usefulness of this product in other applications has not been determined., IHC-Fr, IHC-P, WB; Immunohistochemistry; Immunohistochemistry - frozen; Immunohistochemistry - fixed; Western Blot

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.