

# Resource Summary Report

Generated by [RRID](#) on Aug 3, 2026

## Syk [SPM147] antibody

RRID:AB\_373052

Type: Antibody

---

### Proper Citation

GeneTex Cat# GTX15238, RRID:AB\_373052

---

### Antibody Information

**URL:** [http://antibodyregistry.org/AB\\_373052](http://antibodyregistry.org/AB_373052)

**Proper Citation:** GeneTex Cat# GTX15238, RRID:AB\_373052

**Target Antigen:** Syk [SPM147] antibody

**Host Organism:** mouse

**Clonality:** monoclonal

**Comments:** Discontinued; manufacturer recommendations: For IHC-P: Use at a dilution of 1-100 for 10 min. at RT. Perform heat mediated antigen retrieval before commencing with IHC staining protocol. For IP: Use at a concentration of 2ug antibody/mg protein lysate. For WB: Use at a concentration of 1 µg/ml. Predicted molecular weight: 72 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the researcher, IHC (Formalin-fixed paraffin-embedded sections), Immunoprecipitation, Western blot. The usefulness of this product in other applications has not been determined., IHC-P, IP, WB; Immunohistochemistry; Immunoprecipitation; Immunohistochemistry - fixed; Western Blot

**Antibody Name:** Syk [SPM147] antibody

**Description:** This monoclonal targets Syk [SPM147] antibody

**Target Organism:** human

**Antibody ID:** AB\_373052

**Vendor:** GeneTex

**Catalog Number:** GTX15238

**Record Creation Time:** 20250820T031323+0000

**Record Last Update:** 20250820T154037+0000

---

## Ratings and Alerts

No rating or validation information has been found for Syk [SPM147] antibody.

**Warning:** Discontinued at GeneTex

Discontinued; manufacturer recommendations: For IHC-P: Use at a dilution of 1-100 for 10 min. at RT. Perform heat mediated antigen retrieval before commencing with IHC staining protocol. For IP: Use at a concentration of 2ug antibody/mg protein lysate. For WB: Use at a concentration of 1 µg/ml. Predicted molecular weight: 72 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the researcher, IHC (Formalin-fixed paraffin-embedded sections), Immunoprecipitation, Western blot. The usefulness of this product in other applications has not been determined., IHC-P, IP, WB; Immunohistochemistry; Immunoprecipitation; Immunohistochemistry - fixed; Western Blot

---

## Data and Source Information

**Source:** [Antibody Registry](#)

---

## Usage and Citation Metrics

We have not found any literature mentions for this resource.