

Resource Summary Report

Generated by [RRID](#) on Aug 8, 2026

Jagged 1 antibody

RRID:AB_381088

Type: Antibody

Proper Citation

GeneTex Cat# GTX10580, RRID:AB_381088

Antibody Information

URL: http://antibodyregistry.org/AB_381088

Proper Citation: GeneTex Cat# GTX10580, RRID:AB_381088

Target Antigen: Jagged 1 antibody

Host Organism: goat

Clonality: polyclonal

Comments: Discontinued; manufacturer recommendations: IgG; IgG Immunofluorescence; Western Blot; Flow Cytometry; Block/Neutralize/Inhibit; ELISA; ELISA: Use at a concentration of 0.5 - 1 µg/ml. The detection limit for recombinant rat Jagged-1 is approximately 0.16 ng/well. FACS: Use at a concentration of 20 µg/ml. (10 µl/10⁵ - 10⁶ cells) this concentration is recommended to label human Jagged 1 transfected FBM stromal cells. Neut: Use at a concentration of 2 - 10 µg/ml. The antibody will block 50 of the binding of 200 ng/ml of recombinant rat Jagged-1/Fc to immobilized recombinant rat Notch-1/Fc or recombinant rat Notch-2/Fc (100 µl of a 5 µg/ml solution coated in each well) in an ELISA assay. WB: Use at a concentration of 0.1 - 0.2 µg/ml, this concentration is determined using rat jagged-1 at 5 ng/lane und

Antibody Name: Jagged 1 antibody

Description: This polyclonal targets Jagged 1 antibody

Target Organism: rat, mouse, human

Antibody ID: AB_381088

Vendor: GeneTex

Catalog Number: GTX10580

Record Creation Time: 20250819T221504+0000

Ratings and Alerts

No rating or validation information has been found for Jagged 1 antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: IgG; IgG Immunofluorescence; Western Blot; Flow Cytometry; Block/Neutralize/Inhibit; ELISA; ELISA: Use at a concentration of 0.5 - 1 µg/ml. The detection limit for recombinant rat Jagged-1 is approximately 0.16 ng/well. FACS: Use at a concentration of 20 µg/ml. (10 µl/10⁵ - 10⁶ cells) this concentration is recommended to label human Jagged 1 transfected FBM stromal cells. Neut: Use at a concentration of 2 - 10 µg/ml. The antibody will block 50 of the binding of 200 ng/ml of recombinant rat Jagged-1/Fc to immobilized recombinant rat Notch-1/Fc or recombinant rat Notch-2/Fc (100 µl of a 5 µg/ml solution coated in each well) in an ELISA assay. WB: Use at a concentration of 0.1 - 0.2 µg/ml, this concentration is determined using rat jagged-1 at 5 ng/lane und

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.