

Resource Summary Report

Generated by [RRID](#) on Aug 8, 2026

n-Myc [NCM II 100] antibody

RRID:AB_422464

Type: Antibody

Proper Citation

GeneTex Cat# GTX16898, RRID:AB_422464

Antibody Information

URL: http://antibodyregistry.org/AB_422464

Proper Citation: GeneTex Cat# GTX16898, RRID:AB_422464

Target Antigen: n-Myc [NCM II 100] antibody

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: Immunofluorescence; Immunohistochemistry; Immunoprecipitation; Immunohistochemistry - frozen; Western Blot; For IF: Use at a concentration of 1-5 µg/ml. For IHC-Fr: Use at a concentration of 1-5 µg/ml. For IP: Use at a concentration of 1-2 µg/ml. For WB: Use at a concentration of 1-5 µg/ml. Detects a band of approximately 64 kDa (predicted molecular weight: 64, 67 kDa). Not tested in other applications. Optimal dilutions/concentrations should be determined by the researcher., Immunofluorescence, IHC (Frozen sections), Immunoprecipitation, Western blot. The usefulness of this product in other applications has not been determined., IF, IHC-Fr, IP, WB

Antibody Name: n-Myc [NCM II 100] antibody

Description: This monoclonal targets n-Myc [NCM II 100] antibody

Target Organism: mouse, human

Antibody ID: AB_422464

Vendor: GeneTex

Catalog Number: GTX16898

Record Creation Time: 20250819T222052+0000

Record Last Update: 20250820T015404+0000

Ratings and Alerts

No rating or validation information has been found for n-Myc [NCM II 100] antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: Immunofluorescence; Immunohistochemistry; Immunoprecipitation; Immunohistochemistry - frozen; Western Blot; For IF: Use at a concentration of 1-5 µg/ml. For IHC-Fr: Use at a concentration of 1-5 µg/ml. For IP: Use at a concentration of 1-2 µg/ml. For WB: Use at a concentration of 1-5 µg/ml. Detects a band of approximately 64 kDa (predicted molecular weight: 64, 67 kDa). Not tested in other applications. Optimal dilutions/concentrations should be determined by the researcher., Immunofluorescence, IHC (Frozen sections), Immunoprecipitation, Western blot. The usefulness of this product in other applications has not been determined., IF, IHC-Fr, IP, WB

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 1 mentions in open access literature.

Listed below are recent publications. The full list is available at [RRID](#) .

Hossain MS, et al. (2017) Reduction of Ether-Type Glycerophospholipids, Plasmalogens, by NF-??B Signal Leading to Microglial Activation. The Journal of neuroscience : the official journal of the Society for Neuroscience, 37(15), 4074.