

Resource Summary Report

Generated by [RRID](#) on Aug 9, 2026

CD18 [C71/16] antibody

RRID:AB_423631

Type: Antibody

Proper Citation

GeneTex Cat# GTX19580, RRID:AB_423631

Antibody Information

URL: http://antibodyregistry.org/AB_423631

Proper Citation: GeneTex Cat# GTX19580, RRID:AB_423631

Target Antigen: CD18 [C71/16] antibody

Host Organism: rat

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: Immunofluorescence; Immunohistochemistry - fixed; Immunohistochemistry; Immunohistochemistry - frozen; Immunoprecipitation; Flow Cytometry; Flow cytometry/FACS, IHC (Formalin fixed sections), IHC (Frozen sections), Immunoprecipitation. The usefulness of this product in other applications has not been determined., FACS, IHC-F, IHC-Fr, IP, FACS: Use 1µg for 10⁶ cells. IHC-acetone fixed frozen tissue sections: Use at an assay dependent dilution. IP: Use at an assay dependent dilution. The antibody precipitates a (Mr 150/90 kDa) heterodimer from mouse leukocytes. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.

Antibody Name: CD18 [C71/16] antibody

Description: This monoclonal targets CD18 [C71/16] antibody

Target Organism: mouse, human

Antibody ID: AB_423631

Vendor: GeneTex

Catalog Number: GTX19580

Record Creation Time: 20250820T034509+0000

Record Last Update: 20250820T170532+0000

Ratings and Alerts

No rating or validation information has been found for CD18 [C71/16] antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: Immunofluorescence; Immunohistochemistry - fixed; Immunohistochemistry; Immunohistochemistry - frozen; Immunoprecipitation; Flow Cytometry; Flow cytometry/FACS, IHC (Formalin fixed sections), IHC (Frozen sections), Immunoprecipitation. The usefulness of this product in other applications has not been determined., FACS, IHC-F, IHC-Fr, IP, FACS: Use 1µg for 10⁶ cells. IHC-acetone fixed frozen tissue sections: Use at an assay dependent dilution. IP: Use at an assay dependent dilution. The antibody precipitates a (Mr 150/90 kDa) heterodimer from mouse leukocytes. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.