

Resource Summary Report

Generated by [RRID](#) on Sep 7, 2026

P2X3 antibody

RRID:AB_626009

Type: Antibody

Proper Citation

GeneTex Cat# GTX80786, RRID:AB_626009

Antibody Information

URL: http://antibodyregistry.org/AB_626009

Proper Citation: GeneTex Cat# GTX80786, RRID:AB_626009

Target Antigen: P2X3 antibody

Host Organism: rabbit

Clonality: polyclonal

Comments: Discontinued; manufacturer recommendations: IgG; IgG Immunohistochemistry; Western Blot; Immunocytochemistry; Immunocytochemistry, Immunohistochemistry, Western blot. Immunohistochemistry 1:1000 Immunocytochemistry 1:1000 Western Blotting 1:1000 Dilutions listed only as a recommendation. Optimal dilution should be determined by investigator. Immunohistochemistry: Antiserum was used on perfusion fixed tissue. Perfusion: 1) calcium-free Tyrode's solution, 2) paraformaldehyde-picric acid fixative, and 3) 10 sucrose in PBS as a cryo-protectant. Desired tissues were dissected and stored overnight in 10 sucrose in PBS. Slide-mounted tissue sections were processed for indirect immunofluorescence. Slides were incubated with blocking buffer for 1 hour at room temperature. Primary antiserum was diluted with blocking bu

Antibody Name: P2X3 antibody

Description: This polyclonal targets P2X3 antibody

Target Organism: rat, other species not tested, primate, non-human primate, human

Antibody ID: AB_626009

Vendor: GeneTex

Catalog Number: GTX80786

Record Creation Time: 20231110T080358+0000

Record Last Update: 20260829T135300+0000

Ratings and Alerts

No rating or validation information has been found for P2X3 antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: IgG; IgG Immunohistochemistry; Western Blot; Immunocytochemistry; Immunocytochemistry, Immunohistochemistry, Western blot. Immunohistochemistry 1:1000 Immunocytochemistry 1:1000 Western Blotting 1:1000 Dilutions listed only as a recommendation. Optimal dilution should be determined by investigator. Immunohistochemistry: Antiserum was used on perfusion fixed tissue. Perfusion: 1) calcium-free Tyrode's solution, 2) paraformaldehyde-picric acid fixative, and 3) 10 sucrose in PBS as a cryo-protectant. Desired tissues were dissected and stored overnight in 10 sucrose in PBS. Slide-mounted tissue sections were processed for indirect immunofluorescence. Slides were incubated with blocking buffer for 1 hour at room temperature. Primary antiserum was diluted with blocking bu

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.