

Resource Summary Report

Generated by [RRID](#) on Aug 11, 2026

Mouse Anti-Human CD4 Monoclonal Antibody, APC Conjugated Clone M-T466

RRID:AB_871690

Type: Antibody

Proper Citation

Miltenyi Biotec Cat# 130-091-232, RRID:AB_871690

Antibody Information

URL: http://antibodyregistry.org/AB_871690

Proper Citation: Miltenyi Biotec Cat# 130-091-232, RRID:AB_871690

Target Antigen: Mouse Human CD4 APC Clone M-T466

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued: 5-2018; manufacturer recommendations: Mouse IgG1 Flow cytometry; Immunofluorescence

Detection of human or non-human primate T helper cells; identification of MACSelect 4⁺transfected cells; Immunofluorescence; Flow Cytometry

Info: This product is discontinued and reformatted to a higher concentration for optimized use in multicolor flow cytometry panels. The replacement product cat # is 130-113-250. (RRID:AB_2726052).

Antibody Name: Mouse Anti-Human CD4 Monoclonal Antibody, APC Conjugated Clone M-T466

Description: This monoclonal targets Mouse Human CD4 APC Clone M-T466

Target Organism: non-human primate, human

Antibody ID: AB_871690

Vendor: Miltenyi Biotec

Catalog Number: 130-091-232

Record Creation Time: 20250820T022127+0000

Ratings and Alerts

No rating or validation information has been found for Mouse Anti-Human CD4 Monoclonal Antibody, APC Conjugated Clone M-T466.

Warning: Discontinued: 2021

Discontinued: 5-2018; manufacturer recommendations: Mouse IgG1 Flow cytometry; Immunofluorescence

Detection of human or non-human primate T helper cells; identification of MACSelect 4?transfected cells; Immunofluorescence; Flow Cytometry

Info: This product is discontinued and reformatted to a higher concentration for optimized use in multicolor flow cytometry panels. The replacement product cat # is 130-113-250. (RRID:AB_2726052). **Warning:** Discontinued: 2018

Discontinued: 5-2018; manufacturer recommendations: Mouse IgG1 Flow cytometry; Immunofluorescence

Detection of human or non-human primate T helper cells; identification of MACSelect 4?transfected cells; Immunofluorescence; Flow Cytometry

Info: This product is discontinued and reformatted to a higher concentration for optimized use in multicolor flow cytometry panels. The replacement product cat # is 130-113-250. (RRID:AB_2726052).

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 2 mentions in open access literature.

Listed below are recent publications. The full list is available at [RRID](#) .

Neehus AL, et al. (2024) Human inherited CCR2 deficiency underlies progressive polycystic lung disease. Cell, 187(2), 390.

Román-Rodríguez FJ, et al. (2019) NHEJ-Mediated Repair of CRISPR-Cas9-Induced DNA Breaks Efficiently Corrects Mutations in HSPCs from Patients with Fanconi Anemia. Cell stem cell, 25(5), 607.