

Resource Summary Report

Generated by [RRID](#) on Aug 18, 2026

pLXV-EF1alpha-2xStrep-SARS-CoV-2-orf7b-IRES-Puro

RRID:Addgene_141389

Type: Plasmid

Proper Citation

RRID:Addgene_141389

Plasmid Information

URL: <http://www.addgene.org/141389>

Proper Citation: RRID:Addgene_141389

Insert Name: SARS-CoV-2-orf7b

Organism: SARS-CoV-2

Bacterial Resistance: Ampicillin

Defining Citation: [PMID:32353859](#)

Vector Backbone Description: Backbone Marker:Takara Bio; Backbone Size:8825; Vector Backbone:pLVX-EF1alpha-IRES-Puro; Vector Types:Mammalian Expression, Lentiviral; Bacterial Resistance:Ampicillin

Comments: Please visit <https://www.biorxiv.org/content/10.1101/2020.03.22.002386v3> for bioRxiv preprint.

Plasmid Name: pLXV-EF1alpha-2xStrep-SARS-CoV-2-orf7b-IRES-Puro

Relevant Mutation: human codon optimized

Record Creation Time: 20220422T221815+0000

Record Last Update: 20260815T080648+0000

Ratings and Alerts

No rating or validation information has been found for pLXV-EF1alpha-2xStrep-SARS-CoV-2-orf7b-IRES-Puro.

No alerts have been found for pLXV-EF1alpha-2xStrep-SARS-CoV-2-orf7b-IRES-Puro.

Data and Source Information

Source: [Addgene](#)

Usage and Citation Metrics

We found 7 mentions in open access literature.

Listed below are recent publications. The full list is available at [RRID](#) .

Goodson BA, et al. (2026) SARS-CoV-2 ORF3a blocks lysosomal cholesterol egress by disrupting VPS39-regulated NPC2 trafficking and BMP metabolism. Cell reports, 45(6), 117544.

Broderick K, et al. (2025) Human protein interaction networks of ancestral and variant SARS-CoV-2 in organ-specific cells and bodily fluids. Nature communications, 16(1), 5784.

Lee JD, et al. (2023) Differences in syncytia formation by SARS-CoV-2 variants modify host chromatin accessibility and cellular senescence via TP53. Cell reports, 42(12), 113478.

Wu X, et al. (2023) Secreted ORF8 induces monocytic pro-inflammatory cytokines through NLRP3 pathways in patients with severe COVID-19. iScience, 26(6), 106929.

Hall R, et al. (2022) SARS-CoV-2 ORF6 disrupts innate immune signalling by inhibiting cellular mRNA export. PLoS pathogens, 18(8), e1010349.

Lee MJ, et al. (2022) SARS-CoV-2 escapes direct NK cell killing through Nsp1-mediated downregulation of ligands for NKG2D. Cell reports, 41(13), 111892.

Rauti R, et al. (2021) Effect of SARS-CoV-2 proteins on vascular permeability. eLife, 10.