

Resource Summary Report

Generated by [RRID](#) on Aug 22, 2026

pQTEV-LOC57019

RRID:Addgene_34811

Type: Plasmid

Proper Citation

RRID:Addgene_34811

Plasmid Information

URL: <http://www.addgene.org/34811>

Proper Citation: RRID:Addgene_34811

Insert Name: cytokine induced apoptosis inhibitor 1

Organism: Homo sapiens

Bacterial Resistance: Ampicillin

Defining Citation: [PMID:15998469](#)

Vector Backbone Description: Backbone Size:4700; Vector Backbone:pQTEV; Vector Types:Bacterial Expression; Bacterial Resistance:Ampicillin

Comments: The vector pQTEV is derived from Qiagen pQE-2 and contains an inactive chloramphenicol resistance gene sequence. The Rosetta bacterial strain contains an additional plasmid. The second plasmid, pRARE, provides rare tRNAs for overexpression of recombinant proteins. It has 4694 bp and is chloramphenicol resistance.

Plasmid Name: pQTEV-LOC57019

Record Creation Time: 20220422T222148+0000

Record Last Update: 20260815T081403+0000

Ratings and Alerts

No rating or validation information has been found for pQTEV-LOC57019.

No alerts have been found for pQTEV-LOC57019.

Data and Source Information

Source: [Addgene](#)

Usage and Citation Metrics

We found 2 mentions in open access literature.

Listed below are recent publications. The full list is available at [RRID](#) .

Lee S, et al. (2026) CIAPIN1 functions as a redox-sensitive transcriptional repressor of Tp53 during vascular remodeling. Theranostics, 16(11), 6350.

Han JH, et al. (2021) Cytokine-induced apoptosis inhibitor 1 (CIAPIN1) accelerates vascular remodelling via p53 and JAK2-STAT3 regulation in vascular smooth muscle cells. British journal of pharmacology, 178(22), 4533.