

Resource Summary Report

Generated by [RRID](#) on Aug 27, 2026

pSAR-MT

RRID:Addgene_16485

Type: Plasmid

Proper Citation

RRID:Addgene_16485

Plasmid Information

URL: <http://www.addgene.org/16485>

Proper Citation: RRID:Addgene_16485

Bacterial Resistance: Ampicillin

Defining Citation: [PMID:8755583](#)

Vector Backbone Description: Backbone Size:0; Vector Backbone:pSAR-MT; Vector Types:Mammalian Expression; Bacterial Resistance:Ampicillin

Comments: The pSAR-MT inducible expression plasmid was constructed as follows. Two oligonucleotides (5'-GATCTCGAGCTCCCTGCA-3' and 5'-GGGAGCTCGA-3') were annealed, and the resulting fragment was cloned into the BamHI and PstI sites of the scaffold attachment region (SAR)-containing plasmid p8. The resulting plasmid, pJM7, consisted of two SAR sequences flanking a short polylinker containing restriction sites for XhoI and PstI. The mutant metallothionein (MT) promoter was amplified by PCR and cloned into pCEP4, linearized with BglII and NotI, yielding pCEP-MT. A Sall-BamHI fragment containing an intron from the globin gene was then inserted into the XhoI and BamHI sites of pCEP-MT, yielding pCEP-MTi. Finally, the MT promoter/intron/poly(A) region was removed from pCEP-MTi by digestion with Sall and cloned into the XhoI site of pJM7, yielding pSAR-MT.

Plasmid Name: pSAR-MT

Record Creation Time: 20220422T221931+0000

Record Last Update: 20260815T080924+0000

Ratings and Alerts

No rating or validation information has been found for pSAR-MT.

No alerts have been found for pSAR-MT.

Data and Source Information

Source: [Addgene](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.