

Resource Summary Report

Generated by [RRID](#) on Aug 4, 2026

Washington University Neuromuscular Disease Center

RRID:SCR_002059

Type: Tool

Proper Citation

Washington University Neuromuscular Disease Center (RRID:SCR_002059)

Resource Information

URL: <http://neuromuscular.wustl.edu/>

Proper Citation: Washington University Neuromuscular Disease Center (RRID:SCR_002059)

Description: Organization portal for neuromuscular disease community and contains comprehensive listing of biological and clinical aspects of neuromuscular disorders. This knowledge base contains information on the physiology, structure of ion channels, neurotransmitters, neuroreceptors, and associated diseases. Major categories include DISORDERS & SYNDROMES, INDEXES, NEUROMUSCULAR EVALUATION, ANTIBODY TESTING and NEUROMUSCULAR DIVISION.

Abbreviations: WU Neuromuscular

Synonyms: Neuromuscular Disease Center

Resource Type: organization portal, data or information resource, portal

Keywords: neuromuscular disease, cerebellum, motor cortex, spinal cord

Availability: Free, Freely available

Resource Name: Washington University Neuromuscular Disease Center

Resource ID: SCR_002059

Alternate IDs: nif-0000-00158, SCR_007305, nif-0000-12503

Alternate URLs: <http://neuromuscular.wustl.edu/over/overview.html>

Old URLs: <http://www.neuro.wustl.edu/neuromuscular/>

Record Creation Time: 20220129T080211+0000

Record Last Update: 20260803T040327+0000

Ratings and Alerts

No rating or validation information has been found for Washington University Neuromuscular Disease Center.

No alerts have been found for Washington University Neuromuscular Disease Center.

Data and Source Information

Source: [SciCrunch Registry](#)

Usage and Citation Metrics

We found 19 mentions in open access literature.

Listed below are recent publications. The full list is available at [RRID](#).

Nan H, et al. (2022) Coexistence of Charcot-Marie-Tooth 1A and nondystrophic myotonia due to PMP22 duplication and SCN4A pathogenic variants: a case report. BMC neurology, 22(1), 17.

Ando M, et al. (2022) Novel heterozygous variants of SLC12A6 in Japanese families with Charcot-Marie-Tooth disease. Annals of clinical and translational neurology, 9(7), 902.

Ando M, et al. (2022) Novel de novo POLR3B mutations responsible for demyelinating Charcot-Marie-Tooth disease in Japan. Annals of clinical and translational neurology, 9(5), 747.

Hentschel A, et al. (2021) Protein signature of human skin fibroblasts allows the study of the molecular etiology of rare neurological diseases. Orphanet journal of rare diseases, 16(1), 73.

Dong HL, et al. (2021) Biallelic SORD pathogenic variants cause Chinese patients with distal hereditary motor neuropathy. NPJ genomic medicine, 6(1), 1.

Stavrou M, et al. (2021) Genetic mechanisms of peripheral nerve disease. Neuroscience letters, 742, 135357.

Vavouraki N, et al. (2021) Integrating protein networks and machine learning for disease stratification in the Hereditary Spastic Paraplegias. iScience, 24(5), 102484.

Shi J, et al. (2021) Whole-exome sequencing identifies a heterozygous mutation in SLC12A6 associated with hereditary sensory and motor neuropathy. Neuromuscular disorders : NMD, 31(2), 149.

Chen Y, et al. (2020) TGM6 L517W is not a pathogenic variant for spinocerebellar ataxia type 35. *Neurology. Genetics*, 6(3), e424.

Kitani-Morii F, et al. (2020) Recent Advances in *Drosophila* Models of Charcot-Marie-Tooth Disease. *International journal of molecular sciences*, 21(19).

Lai LL, et al. (2020) Novel CAPN1 mutations extend the phenotypic heterogeneity in combined spastic paraplegia and ataxia. *Annals of clinical and translational neurology*, 7(10), 1862.

Xie Y, et al. (2020) Genetic and Clinical Features in 24 Chinese Distal Hereditary Motor Neuropathy Families. *Frontiers in neurology*, 11, 603003.

Mauri N, et al. (2017) A SINE Insertion in ATP1B2 in Belgian Shepherd Dogs Affected by Spongy Degeneration with Cerebellar Ataxia (SDCA2). *G3 (Bethesda, Md.)*, 7(8), 2729.

Blaeser A, et al. (2016) Progressive Dystrophic Pathology in Diaphragm and Impairment of Cardiac Function in FKRP P448L Mutant Mice. *PloS one*, 11(10), e0164187.

Braathen GJ, et al. (2016) Variants in the genes DCTN2, DNAH10, LRIG3, and MYO1A are associated with intermediate Charcot-Marie-Tooth disease in a Norwegian family. *Acta neurologica Scandinavica*, 134(1), 67.

Milley GM, et al. (2016) Three novel mutations and genetic epidemiology analysis of the Gap Junction Beta 1 (GJB1) gene among Hungarian Charcot-Marie-Tooth disease patients. *Neuromuscular disorders : NMD*, 26(10), 706.

Arvanitidis A, et al. (2016) Neo-epitope Peptides as Biomarkers of Disease Progression for Muscular Dystrophies and Other Myopathies. *Journal of neuromuscular diseases*, 3(3), 333.

Li LX, et al. (2016) Improving molecular diagnosis of Chinese patients with Charcot-Marie-Tooth by targeted next-generation sequencing and functional analysis. *Oncotarget*, 7(19), 27655.

Scotton C, et al. (2014) Biomarkers in rare neuromuscular diseases. *Experimental cell research*, 325(1), 44.