

Resource Summary Report

Generated by [RRID](#) on Jul 31, 2026

Donkey anti-Rabbit IgG (H+L) Cross-Adsorbed Secondary Antibody, DyLight™ 488

RRID:AB_2556618

Type: Antibody

Proper Citation

(Thermo Fisher Scientific Cat# SA5-10038, RRID:AB_2556618)

Antibody Information

URL: http://antibodyregistry.org/AB_2556618

Proper Citation: (Thermo Fisher Scientific Cat# SA5-10038, RRID:AB_2556618)

Target Antigen: Rabbit IgG (H+L)

Host Organism: donkey

Clonality: polyclonal secondary

Comments: Applications: Flow, ICC/IF, IHC-P, IP, WB

Antibody Name: Donkey anti-Rabbit IgG (H+L) Cross-Adsorbed Secondary Antibody, DyLight™ 488

Description: This polyclonal secondary targets Rabbit IgG (H+L)

Target Organism: rabbit

Defining Citation: [PMID:24599473](#)

Antibody ID: AB_2556618

Vendor: Thermo Fisher Scientific

Catalog Number: SA5-10038

Record Creation Time: 20250927T071204+0000

Record Last Update: 20260225T225356+0000

Ratings and Alerts

No rating or validation information has been found for Donkey anti-Rabbit IgG (H+L) Cross-Adsorbed Secondary Antibody, DyLight™ 488.

No alerts have been found for Donkey anti-Rabbit IgG (H+L) Cross-Adsorbed Secondary Antibody, DyLight™ 488.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 7 mentions in open access literature.

Listed below are recent publications. The full list is available at [RRID](#) .

Huang M, et al. (2024) ALK upregulates POSTN and WNT signaling to drive neuroblastoma. Cell reports, 43(3), 113927.

Rial-Pensado E, et al. (2023) Neuronal Blockade of Thyroid Hormone Signaling Increases Sensitivity to Diet-Induced Obesity in Adult Male Mice. Endocrinology, 164(4).

Leiter O, et al. (2022) Selenium mediates exercise-induced adult neurogenesis and reverses learning deficits induced by hippocampal injury and aging. Cell metabolism, 34(3), 408.

Nasteska D, et al. (2021) PDX1LOW MAFALOW β -cells contribute to islet function and insulin release. Nature communications, 12(1), 674.

Benz F, et al. (2019) Low wnt/ β -catenin signaling determines leaky vessels in the subfornical organ and affects water homeostasis in mice. eLife, 8.

Basquin C, et al. (2019) Emergence of a Bilaterally Symmetric Pattern from Chiral Components in the Planarian Epidermis. Developmental cell, 51(4), 516.

Nagy O, et al. (2018) Correlated Evolution of Two Copulatory Organs via a Single cis-Regulatory Nucleotide Change. Current biology : CB, 28(21), 3450.