

Resource Summary Report

Generated by [RRID](#) on Jul 28, 2026

Biotin anti-mouse TCR ?/?

RRID:AB_313827

Type: Antibody

Proper Citation

BioLegend Cat# 118103, RRID:AB_313827

Antibody Information

URL: http://antibodyregistry.org/AB_313827

Proper Citation: BioLegend Cat# 118103, RRID:AB_313827

Target Antigen: TCR gamma/delta

Host Organism: armenian hamster

Clonality: monoclonal

Comments: Applications: FC

Antibody Name: Biotin anti-mouse TCR ?/?

Description: This monoclonal targets TCR gamma/delta

Target Organism: mouse

Clone ID: Clone GL3

Antibody ID: AB_313827

Vendor: BioLegend

Catalog Number: 118103

Record Creation Time: 20250819T233204+0000

Record Last Update: 20250820T053816+0000

Ratings and Alerts

No rating or validation information has been found for Biotin anti-mouse TCR ?/?.

No alerts have been found for Biotin anti-mouse TCR ?/?.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 24 mentions in open access literature.

Listed below are recent publications. The full list is available at [RRID](#) .

Kama Y, et al. (2026) Notch interaction with RUNX factors regulates initiation of the T-lineage program. *The Journal of experimental medicine*, 223(2).

Sharma G, et al. (2025) IGF2BP3 redirects glycolytic flux to promote one-carbon metabolism and RNA methylation. *Cell reports*, 116330.

Liu G, et al. (2025) ILC2 instructs neural stem and progenitor cells to potentiate neurorepair after stroke. *Neuron*, 113(11), 1741.

Abdullah L, et al. (2025) The endogenous antigen-specific CD8+ T cell repertoire is composed of unbiased and biased clonotypes with differential fate commitments. *Immunity*, 58(3), 601.

Zhang Y, et al. (2025) Bile acid receptor FXR promotes intestinal epithelial ferroptosis and subsequent ILC3 dysfunction in neonatal necrotizing enterocolitis. *Immunity*, 58(3), 683.

Liao K, et al. (2024) Critical roles of the miR-17-92 family in thymocyte development, leukemogenesis, and autoimmunity. *Cell reports*, 43(6), 114261.

You S, et al. (2024) Lymphatic-localized Treg-mregDC crosstalk limits antigen trafficking and restrains anti-tumor immunity. *Cancer cell*, 42(8), 1415.

Subudhi I, et al. (2024) Metabolic coordination between skin epithelium and type 17 immunity sustains chronic skin inflammation. *Immunity*, 57(7), 1665.

Zhou X, et al. (2023) MHC class II regulation of CD8+ T cell tolerance and implications in autoimmunity and cancer immunotherapy. *Cell reports*, 42(11), 113452.

Xiao Z, et al. (2023) METTL3-mediated m6A methylation orchestrates mRNA stability and dsRNA contents to equilibrate ?? T1 and ?? T17 cells. *Cell reports*, 42(7), 112684.

Frascoli M, et al. (2023) Skin ?? T cell inflammatory responses are hardwired in the thymus by oxysterol sensing via GPR183 and calibrated by dietary cholesterol. *Immunity*, 56(3), 562.

Giannou AD, et al. (2023) Tissue resident iNKT17 cells facilitate cancer cell extravasation in liver metastasis via interleukin-22. *Immunity*, 56(1), 125.

Cao Y, et al. (2023) Dopamine inhibits group 2 innate lymphoid cell-driven allergic lung inflammation by dampening mitochondrial activity. *Immunity*, 56(2), 320.

Chandra A, et al. (2023) Quantitative control of Ets1 dosage by a multi-enhancer hub promotes Th1 cell differentiation and protects from allergic inflammation. *Immunity*, 56(7), 1451.

Maruhashi T, et al. (2022) Binding of LAG-3 to stable peptide-MHC class II limits T cell function and suppresses autoimmunity and anti-cancer immunity. *Immunity*, 55(5), 912.

Fujimori S, et al. (2022) Fine-tuning of β -catenin in mouse thymic epithelial cells is required for postnatal T-cell development. *eLife*, 11.

Ramos CV, et al. (2020) Cell Competition, the Kinetics of Thymopoiesis, and Thymus Cellularity Are Regulated by Double-Negative 2 to 3 Early Thymocytes. *Cell reports*, 32(3), 107910.

Kaya B, et al. (2020) Lysophosphatidic Acid-Mediated GPR35 Signaling in CX3CR1+ Macrophages Regulates Intestinal Homeostasis. *Cell reports*, 32(5), 107979.

Zeis P, et al. (2020) In Situ Maturation and Tissue Adaptation of Type 2 Innate Lymphoid Cell Progenitors. *Immunity*, 53(4), 775.

Nagashima H, et al. (2019) Neuropeptide CGRP Limits Group 2 Innate Lymphoid Cell Responses and Constrains Type 2 Inflammation. *Immunity*, 51(4), 682.